AMERICAN COLLOID COMPANY

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

VOLCLAY® 325 Material name

Version # 33

Revision date 08-May-2008 1302-78-9 CAS# SMECTITE CLAY Synonym(s)

Manufacturer information American Colloid Company

> Industrial Specialties Group One North Arlington 1500 West Shure Drive

Arlington Heights, IL 60004 US safetydata@amcol.com http://www.colloid.com/ISG/ General Information (800) 426-5564 CHEMTREC® (800) 424-9300

2. Hazards Identification

Emergency overview Material can be slippery when wet.

Potential health effects

Routes of exposure Inhalation. Eve contact.

Dust or powder may irritate eye tissue. **Eyes**

Skin Non-irritating to the skin.

Inhalation Repeated or prolonged inhalation may cause toxic effects. For additional information on

inhalation hazards, see Section 11 of this safety data sheet.

Ingestion No significant adverse effects are expected upon ingestion of the product.

Target organs Lungs.

Chronic effects This product has the potential for generation of respirable dust during handling and use.

Dust may contain respirable crystalline silica. Overexposure to dust may result in pneumocononiosis, a respiratory disease caused by inhalation of mineral dust, which can lead to fibrotic changes to the lung tissue, or silicosis, a respiratory disease caused by inhalation of silica dust, which can lead to inflammation and fibrosis of the lung tissue.

3. Composition / Information on Ingredients

Non-hazardous components	CAS #	Percent
BENTONITE	1302-78-9	100

Composition comments Bentonite contains naturally occurring crystalline silica (not listed in Annex I of Directive

67/548/EEC) in quantities less than 6%. Occupational Exposure Limits for impurities are

listed in Section 8.

4. First Aid Measures

First aid procedures

Eye contact Flush eyes immediately with large amounts of water. Get medical attention if irritation

develops or persists.

Skin contact No special measures required. Get medical attention if irritation develops or persists.

Inhalation If symptoms are experienced, remove source of contamination or move victim to fresh air. If

the affected person is not breathing, apply artificial respiration. If breathing is difficult, give

oxygen. Call a physician if symptoms develop or persist.

No special measures required. If ingestion of a large amount does occur, seek medical **Ingestion**

attention.

Notes to physician Provide general supportive measures and treat symptomatically. **General advice**

If you feel unwell, seek medical advice (show the label where possible).

5. Fire Fighting Measures

Flammable properties

The product is not flammable. This material will not burn.

Extinguishing media

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam. Use any media suitable for the surrounding

fires.

Protection of firefighters

Protective equipment and precautions for firefighters

Material can be slippery when wet.

6. Accidental Release Measures

Personal precautionsMaterial can be slippery when wet. Forms smooth, slippery surfaces on floors, posing an

accident risk. Wear a dust mask if dust is generated above exposure limits.

Environmental precautions

No special environmental precautions required.

Methods for containment

None necessary.

Methods for cleaning up

Avoid the generation of dusts during clean-up. Collect dust or particulates using a vacuum cleaner with a HEPA filter. Reduce airborne dust and prevent scattering by moistening with

water.

7. Handling and Storage

Handling Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at

places where dust is formed. In case of insufficient ventilation, wear suitable respiratory

equipment.

Material can be slippery when wet. Forms smooth, slippery surfaces on floors, posing an

accident risk.

Storage Guard against dust accumulation of this material. No special storage conditions required. No

special restrictions on storage with other products.

8. Exposure Controls / Personal Protection

Occupational exposure limits

U.S. - OSHA

Impurities	CAS #	Туре	Value	Form
NUISANCE PARTICULATES	RR-00072-6	TWA	5 mg/m3	(respirable fraction)
		TWA (total dust)	15 mg/m3	(total dust)

Exposure guidelinesOccupational exposure to nuisance dust (total and respirable) and respirable crystalline silica

should be monitored and controlled.

ACGIH - Threshold Limit Values - TLV Basis - Critical Effects

QUARTZ 14808-60-7 lung cancer; pulmonary fibrosis

U.S. - OSHA - Final PELs - Table Z-3 Mineral Dusts

QUARTZ 14808-60-7 ((250)/(%SiO2 + 5) mppcf TWA (respirable)); ((10)/(%SiO2 + 2) mg/m3 TWA

(respirable)); ((30)/(%SiO2 + 2) mg/m3 TWA (total dust))

Engineering controlsIf material is ground, cut, or used in any operation which may generate dusts, use

appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. If engineering measures are not sufficient to maintain concentrations of dust

particulates below the OEL, suitable respiratory protection must be worn.

Personal protective equipment

Eye / face protection Wear dust goggles.

Skin protection No special protective equipment required.

Respiratory protection Use a particulate filter respirator for particulate concentrations exceeding the Occupational

Exposure Limit.

General hygeine Eye wash fountain is recommended. Use good industrial hygiene practices in handling this

considerations material.

9. Physical & Chemical Properties

Appearance Not available. Color Various. Odor None.

Not available. Odor threshold

Physical state Solid. **Form** Various. 7 - 10 pН

> 2192 °F (> 1200 °C) **Melting point**

Freezing point Not available.

> 2192 °F (> 1200 °C) **Boiling point**

Flash point Non-flammable **Evaporation rate** Not available. **Flammability** Not available. Flammability limits in air, Non-explosive

upper, % by volume

Flammability limits in air,

lower, % by volume

Non-explosive

Vapor pressure Not available. Vapor density Not available. Specific gravity 2.5503

Relative density 2.5 - 2.6 g/cm3 Solubility (water) Negligible **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available.

10. Chemical Stability & Reactivity Information

Chemical stability Stable at normal conditions.

Conditions to avoid None known. **Incompatible materials** None known. **Hazardous decomposition** None known.

products

Possibility of hazardous

Will not occur.

reactions

11. Toxicological Information

Acute effects Mild irritant to eyes (according to the modified Kay & Calandra criteria).

Component analysis - LD50

Toxicology Data - Selected LD50s and LC50s

BENTONITE 1302-78-9 Oral LD50 Rat: >5000 mg/kg Oral LD50 Rat: 500 mg/kg QUARTZ 14808-60-7

Chronic effects

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003)

According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.

Carcinogenicity

ACGIH - Threshold Limit Values - Carcinogens

QUARTZ 14808-60-7 A2 - Suspected Human Carcinogen

IARC - Group 1 (Carcinogenic to Humans)

QUARTZ 14808-60-7 Monograph 68 [1997] (listed under Crystalline silica inhaled in the form of quartz or

cristobalite from occupational sources)

NTP (National Toxicology Program) - Report on Carcinogens - Known Human Carcinogens

QUARTZ 14808-60-7 Known Human Carcinogen

12. Ecological Information

Ecotoxicity This material is not expected to be harmful to aquatic life.

Ecotoxicity - Freshwater Fish Species Data

BENTONITE 1302-78-9 96 Hr LC50 Salmo gairdneri: 8-19 g/L

Environmental effectsBased on the physical properties of this product, significant environmental persistence and

bioaccumulation would not be expected.

Persistence and degradability

Not available.

13. Disposal Considerations

Disposal instructions

Dispose in accordance with all applicable regulations. Material should be recycled if possible.

14. Transport Information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulationsOSHA Process Safety Standard: This material is not known to be hazardous by the OSHA

Highly Hazardous Process Safety Standard, 29 CFR 1910.119.

CERCLA (Superfund) reportable quantity

None

Material name: VOLCLAY® 325 ACC - Industrial Specialties Group

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

No

Section 311 hazardous

Yes

chemical

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of New and Existing Chemicals (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICC	S) Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations WARNING: This product contains a chemical known to the State of California to cause

cancer.

U.S. - California - Proposition 65 - Carcinogens List

QUARTZ 14808-60-7 carcinogen, initial date 10/1/88 (airborne particles of respirable size)

U.S. - New Jersey - Right to Know Hazardous Substance List

QUARTZ 14808-60-7 sn 1660 **U.S. - Pennsylvania - RTK (Right to Know) List**OUARTZ 14808-60-7 Present

16. Other Information

Recommended restrictions Workers (and your customers or users in the case of resale) should be informed of the

potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be

provided as required under applicable regulations.

Further information This safety datasheet only contains information relating to safety and does not replace any

product information or product specification.

HMIS ratings



NFPA ratings Health: 1

Flammability: 0 Instability: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge. information and belief at the date of its publication. The information given is designed only as a quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or quarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

Issue date 08-May-2008

This data sheet contains changes from the previous version in section(s):

Fire Fighting Measures: Flammable properties

Fire Fighting Measures: Protective equipment and precautions for firefighters

Accidental Release Measures: Personal precautions

Handling and Storage: Handling Physical & Chemical Properties: Form

Other information

American Colloid Company is a wholly owned division/subsidiary of AMCOL International

Corp.